

TECHNICAL DATA SHEET
ECO PRO LOCKERS
GYM SERIES

by  **MEGABLOK**





ECO V SERIES
1 door per column



ECO T SERIES
2 doors per column



ECO M SERIES
3 doors per column



ECO C SERIES
4 doors per column



ECO P SERIES
5 doors per column



ECO B SERIES
6 doors per column



ECO Z SERIES
8 doors per column



ECO Z SERIES
2 L-shaped doors per column

CHARACTERISTICS

Manufactured with cold laminated steel sheet metal, quality DC 01, according to the European Norm EN 10130 with a carbon content of less than 0.12%.

Metal thickness of 0.6 mm.

Previous passivation and degreasing treatment with amorphous phosphating before painting.

Dried in a polymerization oven at 180°C during 15 minutes.

Painted with Epoxy-polyester-powder, through robotized cabins.

Easy assembly with screws and screw nuts. Extendable as you need (screws and screw nuts included).

The locker is individually packaged in a plastic and cardboard box. The starter pack contains assembly instructions.

Side panels

Painted in grey RAL 7035 Micro-textured paint finish. Minimum thickness of 50 micrometer.

Doors

Painted in blue RAL 5010 or grey RAL 7035, micro-textured finish.

Minimum thickness of 50 microns.

Doors with perimetric double folding.

Borders without cutting edges. Hidden hinges.

With name-card holder.

With ventilation rosettes.

Chromed standard cylinder locks with two keys per lock.

Backpanel, shelves and coat rod

Made of galvanized steel, quality DX51D according to the norm EN-10346.

Bench

Made of steel tube of 1.5 mm thickness.

Painted in grey RAL 7035 Micro-textured finish. Minimum thickness of the coating: 50 microns.

Welded structure.

Slats made of pine wood (90 mm width x 16 mm thickness) recovered with polyurethane varnish, quality: "Flanders V". Wood coming from sustainable forrests with Chain of Custody Certification FSC.

PVC ferrules included.

Includes steel screws to attach the bench to the locker.

It is served packed in plastic and cardboard.

COLOURS

| | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | | | | | | | | | |
| RAL 9010 | RAL 9001 | RAL 1017 | RAL 1021 | RAL 2004 | RAL 4010 | RAL 3017 | RAL 3000 | RAL 3005 | RAL 4005 | RAL 6029 |
| | | | | | | | | | | |
| RAL 6034 | RAL 5015 | RAL 5023 | RAL 5010 | RAL 8025 | RAL 7035 | RAL 9006 | RAL 7036 | RAL 7016 | RAL 9005 | |

LOCKS

| | | | | | | | | |
|---------------------------|--|--|--|--------------|----------------------------------|---|--|---|
| | | | | | | | | |
| Standard: Key lock | Padlockable Polyamide Lock (optional padlock) | Padlockable Metallic Lock 1 (optional combination padlock) | Padlockable Metallic Lock 2 (optional combination padlock) | Metal handle | Coin-operated Lock (coin-return) | Coin-operated Lock + Coin Collect Box (cash box, non coin-return) | Lock of 4 manual digits with emergency key | Electronic lock combination of 4 digits TELEC |
| | | | | | | | | |
| Lock of proximity PROXI 2 | Electronic lock combination of 4 digits TELOCK | Electronic lock combination of 4 digits SOLOCK | Electronic lock combination of 4 digits FYLOCK | | | | | |

LOCKER OPTIONS


| | | | |
|-------------------|------------------|---------------------------|---------------------|
| | | | |
| Mailbox Slot | Slope Top | Upper small joined jocker | Antibacterian paint |
| | | | |
| Bracelet of nylon | Elastic bracelet | Mirror | |

BENCH OPTIONS


| | | |
|-----------|-----------------------------------|--|
| | | |
| Shoe rack | Structure made of stainless steel | Steel made of HPL slats of 10 mm thickness and shoe rack |

COMBINATIONS AND DIMENSIONS


GYM SERIES




GYM-25/2
COD: 89252




GYM-25/3
COD: 89253



GYM-25/4
COD: 89254




GYM-30/2
COD: 89302




GYM-30/3
COD: 89303



GYM-30/4
COD: 89304



GYM-40/2
COD: 89402



GYM-40/3
COD: 89403

