




TECHNICAL DATA SHEET
MONOBLOK METACRYLATE LOCKERS

T, M, C, P, B and Z SERIES

by  **MEGABLOK**





CHARACTERISTICS

Manufactured with cold laminated steel sheet metal, quality DC 01, according to the European Norm EN 10130 with a carbon content of less than 0.12%.

Metal thickness of 0.6 mm.

Previous passivation and degreasing treatment with amorphous phosphating before painting.

Dried in a polymerization oven at 180°C during 15 minutes.

Painted with Epoxy-polyester-powder, through robotized cabins.

Body

Painted in grey RAL 7035 Micro.textured finish. Minimum thickness of the painting: 50 microns.

Coat rod at the ST-Series.

Steel legs (of 1.5 mm thickness) with polyethylene caps in black colour included.

Doors

10 mm thick transparent methacrylate door.

Cleaning

It can be easily cleaned with neutral, non-aggressive cleaning agents such as glass cleaners, all-purpose cleaners, etc., using a soft cloth. Steel wool or similar products are not recommended, as they may scratch the surface and create corrosion pitting. Do not use materials containing chlorides, as they are contraindicated as they cause rust. Hydrochloric acid or iron products in prolonged contact are also not recommended.

VERY IMPORTANT: After using the product, it must be thoroughly dried (with a soft cloth) as moisture will cause corrosion on the metal lockers.





COLOURS

RAL 9010	RAL 9001	RAL 1017	RAL 1021	RAL 2004	RAL 4010	RAL 3017	RAL 3000	RAL 3005	RAL 4005	RAL 6029
RAL 6034	RAL 5015	RAL 5023	RAL 5010	RAL 8025	RAL 7035	RAL 9006	RAL 7036	RAL 7016	RAL 9005	

LOCKS

Standard: Key lock	Padlockable Polyamide Lock (optional padlock)	Padlockable Metallic Lock 1 (optional combination padlock)	Padlockable Metallic Lock 2 (optional combination padlock)	Metal handle	Coin-operated Lock (coin-return)	Coin-operated Lock + Coin Collect Box (cash box, non coin-return)	Lock of 4 manual digits with emergency key	Electronic lock combination of 4 digits TELEC
Lock of proximity PROXI 2	Electronic lock combination of 4 digits TELOCK	Electronic lock combination of 4 digits SOLOCK	Electronic lock combination of 4 digits FYLOCK					


OPTIONS

Slope Top	Upper small joined jockey	Stainless Steel Front Base and End Base	Antibacterial paint	Bracelet of nylon	Elastic bracelet	Translucent methacrylate doors	Numbering plate




COMBINATIONS AND DIMENSIONS


ST SERIES




ST-25/1
COD: 42511
18,4kg · 0,24m³




ST-25/2
COD: 42512
30,8kg · 0,48m³




ST-25/3
COD: 42513
44,2kg · 0,71m³




ST-25/4
COD: 42514
56,6kg · 0,95m³




ST-30/1
COD: 43011
19,8kg · 0,29m³




ST-30/2
COD: 43012
33,6kg · 0,57m³




ST-30/3
COD: 43013
47,4kg · 0,86m³




ST-30/4
COD: 43014
62,2kg · 1,14m³




ST-40/1
COD: 44011
23kg · 0,38m³




ST-40/2
COD: 44012
41kg · 0,76m³



ST-40/3
COD: 44013
59kg · 1,14m³




ST-50/1
COD: 45011
26kg · 0,48m³




ST-50/2
COD: 45012
47kg · 0,95m³


SM SERIES




SM-25/1
COD: 42531
19,6kg · 0,24m³




SM-25/2
COD: 42532
33,2kg · 0,48m³




SM-25/3
COD: 42533
46,7kg · 0,71m³




SM-25/4
COD: 42534
60,3kg · 0,95m³




SM-30/1
COD: 43031
21kg · 0,29m³




SM-30/2
COD: 43032
36kg · 0,57m³




SM-30/3
COD: 43033
51kg · 0,86m³




SM-30/4
COD: 43034
66kg · 1,14m³




SM-40/1
COD: 44031
23,9kg · 0,38m³




SM-40/2
COD: 44032
41,8kg · 0,76m³



SM-40/3
COD: 44033
59,7kg · 1,14m³



SM-50/1
COD: 45031
25,8kg · 0,48m³




SM-50/2
COD: 45032
46,6kg · 0,95m³

For further information, please, do not hesitate to contact us by phone +34 976 50 54 88, or to have a look at our homepage: www.megablok.com




COMBINATIONS AND DIMENSIONS


SC SERIES




SC-25/1
COD: 42521
20kg · 0,24m³




SC-25/2
COD: 42522
34,2kg · 0,48m³




SC-25/3
COD: 42523
48,8kg · 0,71m³




SC-25/4
COD: 42524
63,4kg · 0,95m³




SC-30/1
COD: 43021
21,5kg · 0,29m³




SC-30/2
COD: 43022
37,1kg · 0,57m³




SC-30/3
COD: 43023
53,1kg · 0,86m³




SC-30/4
COD: 43024
69,2kg · 1,14m³




SC-40/1
COD: 44021
25kg · 0,38m³




SC-40/2
COD: 44022
44kg · 0,76m³



SC-40/3
COD: 44023
63kg · 1,14m³




SC-50/1
COD: 45021
27,8kg · 0,48m³




SC-50/2
COD: 45022
49,6kg · 0,95m³


SP SERIES




SP-25/1
COD: 42551
20,6kg · 0,24m³




SP-25/2
COD: 42552
36,2kg · 0,48m³




SP-25/3
COD: 42553
51,8kg · 0,71m³




SP-25/4
COD: 42554
67,4kg · 0,95m³




SP-30/1
COD: 43051
22kg · 0,29m³




SP-30/2
COD: 43052
39,1kg · 0,57m³




SP-30/3
COD: 43053
56,1kg · 0,86m³




SP-30/4
COD: 43054
73,2kg · 1,14m³




SP-40/1
COD: 44051
26kg · 0,38m³




SP-40/2
COD: 44052
46kg · 0,76m³



SP-40/3
COD: 44053
66kg · 1,14m³



SP-50/1
COD: 45051
28,8kg · 0,48m³




SP-50/2
COD: 45052
51,6kg · 0,95m³

For further information, please, do not hesitate to contact us by phone +34 976 50 54 88, or to have a look at our homepage: www.megablok.com




COMBINATIONS AND DIMENSIONS


SB SERIES




SB-25/1
COD: 42561
21,6kg · 0,24m³




SB-25/2
COD: 42562
38,2kg · 0,48m³




SB-25/3
COD: 42563
54,8kg · 0,71m³




SB-25/4
COD: 42564
71,4kg · 0,95m³




SB-30/1
COD: 43061
23kg · 0,29m³




SB-30/2
COD: 43062
41,1kg · 0,57m³




SB-30/3
COD: 43063
59,1kg · 0,86m³




SB-30/4
COD: 43064
72,2kg · 1,14m³




SB-40/1
COD: 44061
27kg · 0,38m³




SB-40/2
COD: 44062
48kg · 0,76m³



SB-40/3
COD: 44063
69kg · 1,14m³




SB-50/1
COD: 45061
29,8kg · 0,48m³




SB-50/2
COD: 45062
53,6kg · 0,95m³


SZ SERIES




SZ-25/1
COD: 42581
23,6kg · 0,24m³




SZ-25/2
COD: 42582
42,2kg · 0,48m³




SZ-25/3
COD: 42583
60,8kg · 0,71m³




SZ-25/4
COD: 42584
79,4kg · 0,95m³




SZ-30/1
COD: 43081
25kg · 0,29m³




SZ-30/2
COD: 43082
45,1kg · 0,57m³




SZ-30/3
COD: 43083
65,1kg · 0,86m³




SZ-30/4
COD: 43084
85,2kg · 1,14m³




SZ-40/1
COD: 44081
29kg · 0,38m³




SZ-40/2
COD: 44082
52kg · 0,76m³



SZ-40/3
COD: 44083
75kg · 1,14m³



SZ-50/1
COD: 45081
31,8kg · 0,48m³



SZ-50/2
COD: 45082
57,6kg · 0,95m³



COMBINATIONS AND DIMENSIONS

INTERIOR MEASUREMENTS (mm)

MODEL	250			300			400			500		
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
ST	847	183	451	847	233	451	847	333	451	847	433	451
SM	554	183	451	554	233	451	554	333	451	554	433	451
SC	408	183	451	408	233	451	408	333	451	408	433	451
SP	320	183	451	320	233	451	320	333	451	320	433	451
SB	262	183	451	262	233	451	262	333	451	262	433	451
SZ	189	183	451	189	233	451	189	333	451	189	433	451