

TECHNICAL DATA SHEET
MULTIDOOR LOCKERS

STV SERIES

by  **MEGABLOK**





STV2 SERIES
2 doors per column



STV3 SERIES
3 doors per column



STV4 SERIES
4 doors per column



STV5 SERIES
5 doors per column



STV6 SERIES
6 doors per column



STV8 SERIES
8 doors per column



CHARACTERISTICS

Manufactured with cold laminated steel sheet metal, quality DC 01, according to the European Norm EN 10130 with a carbon content of less than 0.12%.

Metal thickness of 0.6 mm.

Previous passivation and degreasing treatment with amorphous phosphating before painting.

Dried in a polymerization oven at 180°C during 15 minutes.

Painted with Epoxy-polyester-powder, through robotized cabins.

Body

Painted in grey RAL 7035 Micro.textured finish. Minimum thickness of the painting: 50 microns.

Doors

Painted in blue RAL 5010 or grey RAL 7035, micro-textured finish.

Minimum thickness of 50 microns.

Framed, one key opens the entire frame.

Hidden hinges.


With name-card holder.

Chromed standard cylinder locks with two keys per lock.

Cleaning

It can be easily cleaned with neutral, non-aggressive cleaning agents such as glass cleaners, all-purpose cleaners, etc., using a soft cloth. Steel wool or similar products are not recommended, as they may scratch the surface and create corrosion pitting. Do not use materials containing chlorides, as they are contraindicated as they cause rust. Hydrochloric acid or iron products in prolonged contact are also not recommended.

VERY IMPORTANT: After using the product, it must be thoroughly dried (with a soft cloth) as moisture will cause corrosion on the metal lockers.





COLOURS



RAL
9010



RAL
9001



RAL
1017



RAL
1021



RAL
2004



RAL
4010



RAL
3017



RAL
3000



RAL
3005



RAL
4005



RAL
6029



RAL
6034



RAL
5015



RAL
5023



RAL
5010



RAL
8025



RAL
7035



RAL
9006



RAL
7036



RAL
7016



RAL
9005

LOCKS



Standard: Key lock



Padlockable Polyami-
de Lock
(optional padlock)



Padlockable Metallic
Lock 1 (optional
combination padlock)



Padlockable Metallic
Lock 2 (optional
combination padlock)



Metal handle



Coin-operated Lock
(coin-return)



Coin-operated Lock +
Coin Collect Box
(cash box, non
coin-return)



Lock of 4 manual
digits with
emergency key



Electronic lock
combination of
4 digits NEXT 1



Electronic lock
combination of
4 digits NEXT 2



Electronic lock
combination of
4 digits SOLA



Electronic lock
combination of
4 digits VERSA MINI



Electronic lock
combination of
4 digits TELEC



Electronic lock
combination of
4 digits ELOCK



Lock of proximity
PROXI 2



Lock of proximity
PROXI 3



Lock of proximity-
VERSA MINI



Interlocking lock

OPTIONS



Mailbox Slot



Slope Top



Upper small joined
jockey



Steel legs



Antibacterian paint



Mirror





Bracelet of nylon




Elastic bracelet



COMBINATIONS AND DIMENSIONS



STV3 SERIES



STV3-40/1
COD: 44831
25,9kg · 0,29m³




STV3-40/2
COD: 44832
45,8kg · 0,57m³




STV3-40/3
COD: 44833
65,7kg · 1,08m³

STV4 SERIES



STV4-40/1
COD: 44841
28kg · 0,29m³



STV4-40/2
COD: 44842
50kg · 0,57m³




STV4-40/3
COD: 44843
69kg · 1,08m³



COMBINATIONS AND DIMENSIONS


STV5 SERIES



STV5-40/1

COD: 44851


29kg · 0,29m³



STV5-40/2

COD: 44852

52kg · 0,57m³




STV5-40/3

COD: 44853

72kg · 1,08m³

STV6 SERIES



STV6-40/1

COD: 44861

30kg · 0,29m³



STV6-40/2

COD: 44862

54kg · 0,57m³




STV6-40/3

COD: 44863

78kg · 1,08m³

STV8 SERIES



STV8-40/1

COD: 44881


31kg · 0,29m³



STV8-40/2

COD: 44882

56kg · 0,57m³



STV8-40/3

COD: 44883

81kg · 1,08m³



COMBINATIONS AND DIMENSIONS

INTERIOR MEASUREMENTS (mm)

MODEL	400		
	HEIGHT	WIDTH	DEPTH
STV2	834	250	473
STV3	550	250	473
STV4	408	250	473
STV5	323	250	473
STV6	266	250	473
STV8	195	250	473