

TECHNICAL DATA SHEET INOX LOCKERS

V and T SERIES

















SV INOX SERIES1 door per column

ST INOX SERIES 2 doors per column









CHARACTERISTICS

Manufactured with cold laminated steel sheet metal, quality DC 01, according to the European Norm EN 10130 with a carbon content of less than 0.12%.

Metal thickness of 0.8 mm.

The alloy 304 is a stainless steel which has a content of between 16 and 26% of chrome in its composition. Element which gives a very high resistance against oxidation and corrosion in humid areas. Among the characteristic of these steels, are remarkable the excellent hygienic factor, cleaning and that they are unmagnetic.

Body

Welded internal shelf and coat rod at the SV-Inox Series. Coat rod at the ST-Inox Series.

Stainless steel legs (thickness of 1.5 mm) with black polyethylene caps, adjustable in height.

With integrated slope top.

The model SV-40 include a vertical center partition.

Doors

Hidden hinges.

With name-card holder and ventilation rosettes.

With welded longitudinal strengthener in omega-shape.

Chromed standard cylinder locks with two keys per lock.

Cleaning

It can be used water with dishwashing detergent, liquid detergent or soap to eliminate the dirt and possible fingerprints which could have been remained. There are specific detergents for stainless steel at the market, which clean and reduce the appearance of possible spots. Always when you are cleaning stainless steel, make sure to rinse it well out and to dry it completely, to avoid a steaming up of the stainless steel.

Steel wool or similar products, are absolutely not recommended, as they would damage the surface with scratches and so produce little stabs of corrosion. Pays special attention at the use of materials which contain chlorides, as they are contraindicated, because they cause oxidation. Hydrochloric acid or iron products in a prolonged contact are also not recommended. Do never use common steel detergents for stainless steel.















LOCKS



Standard: Key lock



Padlockable Polyan de Lock



Padlockable Metallic Lock 1 (optional combination padlock



Padlockable Metallic Lock 2 (optional



Metal handle



Coin-operated Lock (coin-return)



Coin-operated Loc Coin Collect Box (cash box, non



Lock of 4 manuals digits with emergency key



Electronic lock combination of 4 digits NEXT 1



Electronic lock combination of 4 digits NEXT 2



Electronic lock combination of 4 digits SOLA



Electronic lock combination of 4 digits VERSA MINI



Electronic lock combination of 4 digits TELEC



Electronic lock combination of 4 digits ELOCK



Lock of proximity PROXI 2



Lock of proximity PROXI 3




Lock of proximity-VERSA MINI




Interlocking lock

COMBINATIONS AND DIMENSIONS


SV-INOX SERIES




SV-25/1 INOXCOD: 82901 **24,6**kg · **0,24**m³




SV-25/2 INOX COD: 82902 **40,3**kg · **0,48**m³




SV-25/3 INOX COD: 82903 **57,8**kg · **0,71**m³




SV-25/4 INOXCOD: 82904 **74,1**kg · **0,95**m³




SV-30/1 INOX COD: 83901 **31**kg · **0,38**m³



SV-30/2 INOXCOD: 83902 **49**kg · **0,69**m³




SV-30/3 INOX COD: 83903 **67**kg · **0,99**m³



SV-30/4 INOX COD: 83904 **85**kg · **1,31**m³



SV-40/1 INOX COD: 84901 **36**kg · **0,38**m³



SV-40/2 INOX COD: 84902 **59**kg · **0,76**m³



SV-40/3 INOX COD: 84903 **82**kg · **1,14**m³













COMBINATIONS AND DIMENSIONS


SV-INOX SERIES




SV-25/1 INOX COD: 82901 **24,6**kg · **0,24**m³




SV-25/2 INOX COD: 82902 **40,3**kg · **0,48**m³




SV-25/3 INOX COD: 82903 **57,8**kg · **0,71**m³




SV-25/4 INOXCOD: 82904 **74,1**kg · **0,95**m³




SV-30/1 INOX COD: 83901 **31**kg · **0,38**m³




SV-30/2 INOX COD: 83902 **49**kg · **0,69**m³




SV-30/3 INOX COD: 83903 **67**kg · **0,99**m³




SV-30/4 INOX COD: 83904 **85**kg · **1,31**m³



SV-40/1 INOX COD: 84901 **36**kg · **0,38**m³



SV-40/2 INOX COD: 84902 **59**kg · **0,76**m³



SV-40/3 INOX COD: 84903 **82**kg · **1,14**m³

INTERIOR MEASUREMENTS (mm)

	250			300			400		
MODEL	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
SV-INOX	1.724	182	475	1.724	232	475	1.724	332	475
ST-INOX	847	182	475	847	232	475	847	332	475