

TECHNICAL DATA SHEET
LEFT-LUGGAGE LOCKERS

BANCO CB11

by  **MEGABLOK**





CHARACTERISTICS

Welded Monoblok locker boxes, manufactured with cold laminated sheet metal DC01, according to the European Norm EN 10130, with a carbon content of less than 0,12%.

Metal thickness of 0.8mm.

Point welding process.

Previous treatment of passivating and degreasing.

Dried in a polymerization oven at 180°C during 15 minutes.

Painting with Epoxy-polyester powder in robotized cabins.

Body and doors painted in grey RAL 7035 Micro-textured finish. Minimum thickness of the painting: 50 microns.

Chromed standard cylinder locks with two keys per door.

Screws and nuts to join the locker boxes together with each other included.

Monoblok construction.


Including slope top.

Includes steel legs (1.5 mm thick) with black polyethylene end caps.





COLOURS



LOCKS



Standard: Key lock



Padlockable Polyamide Lock (optional padlock)



Padlockable Metallic Lock 1 (optional combination padlock)



Padlockable Metallic Lock 2 (optional combination padlock)



Metal handle



Lock of 4 manual digits with emergency key




Electronic lock combination of 4 digits VERSA MINI



Lock of proximity-VERSA MINI

DIMENSIONS



CB11P-20/1

COD: 40277