

TECHNICAL DATA SHEET
LOCKER BOXES
BANK, MINI AND SUPERMARKET SERIES



CHARACTERISTICS

Welded Monoblok locker boxes, manufactured with cold laminated sheet metal DC01, according to the European Norm EN 10130, with a carbon content of less than 0,12%.

Metal thickness of 0.8mm.

Point welding process.

Previous treatment of passivating and degreasing with amorph bonderizing before performing the painting process.

Dried in a polymerization oven at 180°C during 15 minutes.

Painting with Epoxy-polyester powder in robotized cabins.

Body and doors painted in grey RAL 7035 Micro-textured finish. Minimum thickness of the painting: 50 microns.

Chromed standard cylinder locks with two keys per door.

Screws and nuts to join the locker boxes together with each other included.

Monoblok construction.



BANK SERIES



MINI SERIES




**VERTICAL
SUPERMARKET SERIES**



**SUPERMARKET
METHACRYLATE SERIES**

COLOURS



LOCKS




The **MINISP SERIES** does not admit neither coin operated, nor electronic locks.

OPTIONS



COMBINATIONS AND DIMENSIONS


BANK SERIES



TBC04P

COD: 91400

16kg · 0,11m³



TBC03P

COD: 91300

13kg · 0,08m³



CBC04P

COD: 91402

17,5kg · 0,11m³




CBC03P

COD: 91302

14kg · 0,08m³




MINI SERIES



TMIN4P

COD: 91200


12kg · 0,05m³



TMIN3P

COD: 91100


9kg · 0,04m³



MINISP

COD: 91000

9kg · 0,03m³



CMIN4P

COD: 91202

13,5kg · 0,05m³



CMIN3P


COD: 91102

10kg · 0,04m³



COMBINATIONS AND DIMENSIONS

VERTICAL SUPERMARKET SERIES




TSVZ2P

COD: 95300
13kg · 0,11m³



CSVZ2P

COD: 95302
14kg · 0,11m³




TSVS2P

COD: 95400
12kg · 0,1m³



CSVS2P

COD: 95402
13kg · 0,1m³



TSVS1P

COD: 95500
7kg · 0,05m³




CSVS1P

COD: 95502
7kg · 0,05m³



SUPERMARKET METHACRYLATE SERIES




TSVZ2PME

COD: 95333
14kg · 0,11m³



CSVZ2PME

COD: 95303
15kg · 0,11m³




TSVS2PME

COD: 95433
13kg · 0,1m³



CSVS2PME

COD: 95403
14kg · 0,1m³



TSVS1PME

COD: 95533
8kg · 0,05m³



CSVS1PME

COD: 95503
8,5kg · 0,05m³



COMBINATIONS AND DIMENSIONS

MODEL	USEFUL GAP (mm)		
	275		
	HEIGHT	WIDTH	DEPTH
TBC04P / CBC04P	200	203	408
TBC03P / CBC03P	200	203	408
TMIN4P / CMIN4P	200	203	168
TMIN3P / CMIN3P	200	203	168
MINI5P	120	138	168
TSVZ2P / CSVZ2P	367	227	368
TSVS2P / CSVS2P	367	227	368
TSVS1P / CSVS1P	367	227	368
TSVZ2PME / CSVZ2PME	374	242	384
TSVS2PME / CSVS2PME	374	242	384
TSVS1PME / CSVS1PME	374	242	384