



TECHNICAL DATA SHEET  
**MODULAR LOCKERS**  
*V, T, M, C, P, B and Z SERIES*





**AV SERIES**  
1 door per column



**AT SERIES**  
2 doors per column



**AM SERIES**  
3 doors per column



**AC SERIES**  
4 doors per column



**AP SERIES**  
5 doors per column



**AB SERIES**  
6 doors per column



**AZ SERIES**  
8 doors per column

## CHARACTERISTICS

Manufactured with cold laminated steel sheet metal, quality DC 01, according to the European Norm EN 10130 with a carbon content of less than 0.12%.

Metal thickness of 0.6 mm.

Previous passivation and degreasing treatment with amorphous phosphating before painting.

Dried in a polymerization oven at 180°C, during 15 minutes.

Painted with Epoxy-polyester-powder coating, through robotized cabins.

Initial and adds system.

Easy to assemble. Extendable as you need.

### Side panels and transversal tops

Painted in grey RAL 7035 Micro-textured paint finish. Minimum thickness of 50 micrometer.

### Doors

Painted in blue RAL 5010 or grey RAL 7035. In both cases Micro-textured paint finish.

Minimum thickness of 50 micrometer.

Doors with perimetric double folding. Borders without cutting edges. Hidden hinges.

With name-card holder.

With ventilation rosettes at the AV-AT-AM and AC Models.

With longitudinal reinforcement in omega-shape and towel ring at the AV-Series.

Chromed standard cylinder locks with two keys per lock.

### Backpanel, shelves and coat rod


Made of galvanized steel, quality DX51D according to the norm EN-10346.

Shelf and coat rod at the AV-Series.

Coat rod at the AT-Series.




## COLOURS




## LOCKS




## OPTIONS



## AV SERIES




<b>AV-25/1</b> COD: 32501 19,2kg · 0,26m <sup>3</sup>	<b>AV-25/2</b> COD: 32502 32,4kg · 0,49m <sup>3</sup>	<b>AV-25/3</b> COD: 32503 45,5kg · 0,72m <sup>3</sup>	<b>AV-25/4</b> COD: 32504 58,7kg · 0,95m <sup>3</sup>	<b>AV-30/1</b> COD: 33001 21,5kg · 0,30m <sup>3</sup>	<b>AV-30/2</b> COD: 33002 37kg · 0,58m <sup>3</sup>	<b>AV-30/3</b> COD: 33003 52,5kg · 0,85m <sup>3</sup>	<b>AV-30/4</b> COD: 33004 68kg · 1,13m <sup>3</sup>
---	---	---	---	---	---	---	---




<b>AV-35/1</b> COD: 33501 22,8kg · 0,35m <sup>3</sup>	<b>AV-35/2</b> COD: 33502 39,6kg · 0,67m <sup>3</sup>	<b>AV-35/3</b> COD: 33503 56,4kg · 0,99m <sup>3</sup>	<b>AV-40/1</b> COD: 34001 26,5kg · 0,39m <sup>3</sup>	<b>AV-40/2</b> COD: 34002 47kg · 0,76m <sup>3</sup>	<b>AV-40/3</b> COD: 34003 67,5kg · 1,13m <sup>3</sup>	<b>AV-45/1</b> COD: 34501 27,9kg · 0,44m <sup>3</sup>	<b>AV-45/2</b> COD: 34502 49,8kg · 0,85m <sup>3</sup>
---	---	---	---	---	---	---	---

## AT SERIES



<b>AT-25/1</b> COD: 32511 19,9kg · 0,26m <sup>3</sup>	<b>AT-25/2</b> COD: 32512 33,8kg · 0,49m <sup>3</sup>	<b>AT-25/3</b> COD: 32513 47,7kg · 0,72m <sup>3</sup>	<b>AT-25/4</b> COD: 32514 61,6kg · 0,95m <sup>3</sup>	<b>AT-30/1</b> COD: 33011 21,1kg · 0,30m <sup>3</sup>	<b>AT-30/2</b> COD: 33012 36,2kg · 0,58m <sup>3</sup>	<b>AT-30/3</b> COD: 33013 51,3kg · 0,85m <sup>3</sup>
---	---	---	---	---	---	---



<b>AT-30/4</b> COD: 33014 66,4kg · 1,13m <sup>3</sup>	<b>AT-35/1</b> COD: 33511 22,7kg · 0,35m <sup>3</sup>	<b>AT-35/2</b> COD: 33512 39,4kg · 0,67m <sup>3</sup>	<b>AT-35/3</b> COD: 33513 56,1kg · 0,99m <sup>3</sup>	<b>AT-40/1</b> COD: 34011 25kg · 0,39m <sup>3</sup>	<b>AT-40/2</b> COD: 34012 44kg · 0,76m <sup>3</sup>	<b>AT-40/3</b> COD: 34013 63kg · 1,13m <sup>3</sup>
---	---	---	---	---	---	---

# COMBINATIONS AND DIMENSIONS

## AM SERIES

<b>AM-25/1</b> COD: 32531 20,9kg · 0,26m <sup>3</sup>	<b>AM-25/2</b> COD: 32532 35,8kg · 0,49m <sup>3</sup>	<b>AM-25/3</b> COD: 32533 50,6kg · 0,72m <sup>3</sup>	<b>AM-25/4</b> COD: 32534 65,5kg · 0,95m <sup>3</sup>	<b>AM-30/1</b> COD: 33031 22,2kg · 0,30m <sup>3</sup>	<b>AM-30/2</b> COD: 33032 38,4kg · 0,58m <sup>3</sup>	<b>AM-30/3</b> COD: 33033 54,6kg · 0,85m <sup>3</sup>
<b>AM-30/4</b> COD: 33034 70,8kg · 1,13m <sup>3</sup>	<b>AM-35/1</b> COD: 33531 23,7kg · 0,35m <sup>3</sup>	<b>AM-35/2</b> COD: 33532 41,4kg · 0,67m <sup>3</sup>	<b>AM-35/3</b> COD: 33533 59,1kg · 0,99m <sup>3</sup>	<b>AM-40/1</b> COD: 34031 25,2kg · 0,39m <sup>3</sup>	<b>AM-40/2</b> COD: 34032 44,4kg · 0,76m <sup>3</sup>	<b>AM-40/3</b> COD: 34033 63,6kg · 1,13m <sup>3</sup>


## AC SERIES

<b>AC-25/1</b> COD: 32521 21,8kg · 0,26m <sup>3</sup>	<b>AC-25/2</b> COD: 32522 37,6kg · 0,49m <sup>3</sup>	<b>AC-25/3</b> COD: 32523 53,4kg · 0,72m <sup>3</sup>	<b>AC-25/4</b> COD: 32524 69,2kg · 0,95m <sup>3</sup>	<b>AC-30/1</b> COD: 33021 23,3kg · 0,30m <sup>3</sup>	<b>AC-30/2</b> COD: 33022 40,7kg · 0,58m <sup>3</sup>	<b>AC-30/3</b> COD: 33023 58kg · 0,85m <sup>3</sup>
<b>AC-30/4</b> COD: 33024 75,4kg · 1,13m <sup>3</sup>	<b>AC-35/1</b> COD: 33521 25,08kg · 0,35m <sup>3</sup>	<b>AC-35/2</b> COD: 33522 44,16kg · 0,67m <sup>3</sup>	<b>AC-35/3</b> COD: 33523 63,24kg · 0,99m <sup>3</sup>	<b>AC-40/1</b> COD: 34021 26,7kg · 0,39m <sup>3</sup>	<b>AC-40/2</b> COD: 34022 47,4kg · 0,76m <sup>3</sup>	<b>AC-40/3</b> COD: 34023 68,1kg · 1,13m <sup>3</sup>


For further information, please, do not hesitate to contact us by phone +34 976 50 54 88, or to have a look at our homepage: [www.megablok.com](http://www.megablok.com)

# COMBINATIONS AND DIMENSIONS


## AP SERIES




**AP-25/1**  
COD: 32551  
22,7kg · 0,26m<sup>3</sup>




**AP-25/2**  
COD: 32552  
39,4kg · 0,49m<sup>3</sup>




**AP-25/3**  
COD: 32553  
56,1kg · 0,72m<sup>3</sup>




**AP-25/4**  
COD: 32554  
72,8kg · 0,95m<sup>3</sup>




**AP-30/1**  
COD: 33051  
24,4kg · 0,30m<sup>3</sup>




**AP-30/2**  
COD: 33052  
42,9kg · 0,58m<sup>3</sup>




**AP-30/3**  
COD: 33053  
61,3kg · 0,85m<sup>3</sup>




**AP-30/4**  
COD: 33054  
79,8kg · 1,13m<sup>3</sup>



**AP-40/1**  
COD: 34051  
28,1kg · 0,39m<sup>3</sup>




**AP-40/2**  
COD: 34052  
50,2kg · 0,76m<sup>3</sup>




**AP-40/3**  
COD: 34053  
72,3kg · 1,13m<sup>3</sup>


## AB SERIES




**AB-25/1**  
COD: 32561  
23,6kg · 0,26m<sup>3</sup>




**AB-25/2**  
COD: 32562  
41,2kg · 0,49m<sup>3</sup>




**AB-25/3**  
COD: 32563  
58,8kg · 0,72m<sup>3</sup>




**AB-25/4**  
COD: 32564  
76,4kg · 0,95m<sup>3</sup>




**AB-30/1**  
COD: 33061  
25,5kg · 0,30m<sup>3</sup>




**AB-30/2**  
COD: 33062  
45,1kg · 0,58m<sup>3</sup>




**AB-30/3**  
COD: 33063  
64,6kg · 0,85m<sup>3</sup>



**AB-30/4**  
COD: 33064  
84,2kg · 1,13m<sup>3</sup>



**AB-40/1**  
COD: 34061  
29,1kg · 0,39m<sup>3</sup>




**AB-40/2**  
COD: 34062  
51,2kg · 0,76m<sup>3</sup>




**AB-40/3**  
COD: 34063  
73,3kg · 1,13m<sup>3</sup>

# COMBINATIONS AND DIMENSIONS


## AZ SERIES




**AZ-25/1**  
COD: 32581  
25,4kg · 0,26m<sup>3</sup>




**AZ-25/2**  
COD: 32582  
44,8kg · 0,49m<sup>3</sup>




**AZ-25/3**  
COD: 32583  
64,2kg · 0,72m<sup>3</sup>




**AZ-25/4**  
COD: 32584  
83,6kg · 0,95m<sup>3</sup>




**AZ-30/1**  
COD: 33081  
27,7kg · 0,30m<sup>3</sup>




**AZ-30/2**  
COD: 33082  
49,5kg · 0,58m<sup>3</sup>




**AZ-30/3**  
COD: 33083  
71,2kg · 0,85m<sup>3</sup>



**AZ-30/4**  
COD: 33084  
93kg · 1,13m<sup>3</sup>



**AZ-40/1**  
COD: 34081  
31,9kg · 0,39m<sup>3</sup>



**AZ-40/2**  
COD: 34082  
56,8kg · 0,76m<sup>3</sup>



**AZ-40/3**  
COD: 34083  
81,7kg · 1,13m<sup>3</sup>

### INTERIOR MEASUREMENTS (mm)

MODEL	250			300			350			400			450		
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
AV	1.706	195	446	1.706	245	446	1.706	295	446	1.706	345	446	1.706	395	446
AT	829	195	446	829	245	446	829	295	446	829	345	446			
AM	537	195	446	537	245	446	537	295	446	537	345	446			
AC	391	195	446	391	245	446	391	295	446	391	345	446			
AP	304	195	446	304	245	446	304	295	446	304	345	446			
AB	245	195	446	245	245	446	245	295	446	245	345	446			
AZ	172	195	446	172	245	446	172	295	446	172	345	446			



## PACKAGING IN KIT

The lockers are packed individually in kits, with plastic and carton.

The assembling instructions are packed in the kit of the initial locker.

The length of the package is of 1850 mm and the width of 530 mm.

The thickness of the package varies depending on the model (min. 40 mm max. 80 mm).

